

INDEX MAPS.

T. 36 N. R. 5 W. 2nd Mer.

Meanders - 345

	314		313		313		312		312		311	
314	6	342	5	337	4	331	3	326	2	321	1	309
	344		341		336		331		326		321	
315	7	341	8	335	9	330	10	325	11	321	12	310
	344		341		335		330		325		320	
315	18	339	17	335	16	329	15	324	14	320	13	310
	343		339		334		329		324		319	
316	19	338	20	334	21	328	22	324	23	319	24	310
	343		340		333		328		323		318	
316	30	340	29	332	28	328	27	323	26	318	25	311
	342		338		332		327		322		317	
317	31	338	32	331	33	327	34	322	35	317	36	311
	308		308		308		307		307		307	

T. 37 N. R. 5 W. 2nd Mer.

					355		355		354		
	6			5		3	365	2	361	1	
	Lake Michigan			4		369		365		361	252
			373								
		376		372		369		365		361	
	7		8	372	9	368	10	364	11	360	12
357		376									252
	377		375		372		368		364		360
357	18	375	17	371	16	368	15	363	14	360	13
											253
	377		375		371		367		363		359
357	19	374	20	371	21	367	22	363	23	359	24
											253
	377		374		370		366		362		359
356	30	374	29	370	28	366	27	362	26	358	25
											253
	376		373		369		365		362		358
356		373		370		366		362		358	354
	31		32		33		34		35		36
355		380		380		379		379		379	357
	357		357		350		350		349		349

The figures on the lines refer to the page.

C. L.

South Boundary.

Var. 5955 E,

- Met On S. side Sec. 36
 8.00 a Brook 20 lbs. wide. en. N.W. Leave prairie bottom on an island of Oak land
 12.96 a W. Oak 17 in. dia.
 16.00 Leave island & enter bottom
 33.74 an Elm 18 in. dia.
 40.00 Set post cor. Sec. 35 & 36 from which
 an Elm 30 in. dia. bears N 41 3/4 W 22 lbs.
 & a Do. 12 " " " N 74 3/4 E 64 "
 44.40 a Brook 20 lbs. wide en. N.W.
 60.02 " Brook 11 " " " N.W. leave bottom
 66.50 " Do. 6 " " " N.W.
 72.79 " Do. 20 " " " N.W.
 79.80 a Lym 16 in. dia.
 80.00 Set post cor. Sec. 35 & 36 from which
 a Sugar 13 in. dia. bears N 24 1/2 W 35 lbs.
 & a Beech 6 " " " N 68 1/4 E 69 "
 Bottom land level & extremely rich Elm,
 Plum & some wet places. Upland rolling
 Sec. 34 & the timber is Beech, Sugar Elm
 Lym Ash &c. —

- Met On S. side of Sec. 35
 6.63 a Sp. Oak 30 in. dia.
 15.25 a Poplar 24 " "
 40.00 Set gr. sec. post from which
 a Sugar 18 in. dia. bears N 50 1/2 E 46 lbs. dia.
 & a Beech 30 " " " N 53 1/2 W 40 " "
 56.25 To a Brook 3 lbs wide en. N.W.
 75.21 " " W. Oak 8 in. dia.
 78.00 Entered a Willow swamp
 80.00 Set post cor. Sec. 34 & 35 from which
 a W. Oak 20 in. dia. bears N 68 E 209 lbs. dia.
 & an Aspen 5 " " " N 73 3/4 W 5 " "

T. 37 N. R. 5 W. 2nd Mer. Ind. a

C. E. Land rolling se. rate Beech Sugar Ash
Oak. Lym Elm &c. some wet places.

North On E. side of sec. 34

- 44.00 Leave Swamp
18.20 a Brook 6th wide cr. N.W.
26.69 a Beech 14 in dia,
33.75 a Brook 8th wide cr. N.W.
40.00 Set gr. sec. post from which
an Elm 12 in dia, bears N 65 E 14th dia,
A Sugar 13 " " " N 10 W 36 " "
47.88 a Beech 10 " "
63.30 a Brook 5th wide cr. N.W.
73.56 " Lym 17 in dia,
78.75 " Brook 22th wide cr. N.W.
80.00 Set post cor. sec. 33 & 34 from which
a Lym 12 in dia. bears N 49 E 19th dia,
An Elm 8 " " " N 61 E W 32 " "
Land &c. same as on last mile,

West On S. side sec. 33,

- 8.25 a Brook 4th wide cr. N.
12.84 " Sugar 14 in dia,
37.59 " Poplar 24 " "
40.00 Set gr. sec. post from which
a Beech 8 in dia, bears N 77 E 29th dia,
A W. ash 10 " " " N 83 E W 59 " "
40.77 a B ash 15 " "
60.00 " W. Oak 18 " "
63.35 a Brook 6th wide cr. N.W.
65.30 To same " " " " N.W.
68.70 " Do. " " " " N.W.
80.00 Set post cor. sec. 32 & 33 from which
a Beech 24 in dia, bears N 20 E 15th dia,
Sugar 12 " " " N 28 E W 38 " "
Land &c. same as last mile,

T. 37 N. R. 5 W. 2nd Mer. Ind. ^a

351

West On South side Sec. 32
 5.88 a B. Ash 18 in. dia,
 28.57 a Brook 4 ft. wide cr. N,
 40.00 Set gp. sec, post from which
 a Poplar 30 in. dia, bears N 48 E 41 ft. dist,
 & a Beech 15 " " " N 82 W 43 " "
 49.96 a B. Ash 18 " "
 57.31 a Beech 15 " "
 71.57 a Brook 15 ft. wide cr. N. & Ent. bottom
 73.50 Leave bottom & enter Oak barney
 80.00 Set post cor. Sec. 31 & 32 from which
 a W. Oak 20 in. dia, bears N 39 E 67 ft.,
 & a P. Oak 14 " " " N 8 3/4 W. 76 "
 E. of barney land & similar barney land

West On S. side Sec. 31
 10.00 Morgan's Tavern house S. about 12 chs,
 22.50 Travelled road from Detroit to Chicago. N. W.
 40.00 Set post for 1/4 sec, cor, from which
 a Y. Oak 16 in. dia, bears N 45 3/4 E 258 ft. dist,
 & a Do. 17 " " " N 76 1/2 W 93 " "
 57.12 a Y. Oak 17 " "
 58.82 " Do. 16 " "
 79.52 Entered W. boundary at 5. 72, 32 set post
 cor. Towns 36 & 37 N. Ranges 5 & 6 W from wh,
 a W. Oak 20 in. dia, bears S 64 E 44 ft. dist,
 & a Do. 16 " " " N 12 E 38 " "
 Land level barney clay soil, part thinly
 timbered. W & well timbered with W. Oak
 February 28th 1834. Surveyed by
 Robert Clark, Jr. Dep. Sur.

East Boundary

Var. 67.50 E,

North On E. side sec. 36
 11.00 Leave prairie bottom,

T. 37 N. R. 5 W. 2nd. New. Ind.^a

- 19.23 a W. Oak 30 in dia,
 32.20 Enter a Lamerac swamp
 38.00 Leave Do. Do,
 40.00 Set q^r. sec. post from which
 a W. Oak 16 in dia, bears N 66 W 36 M. dist,
 & a Do. 19 " " " S 43 W 43 " "
 56.31 Intersect the S. boundary of the 10 mile
 strip, at intersection of Range line from
 North, March 9th 1834 -
 Surveyed by Robt. Clark, Jr. Dep. Sur.

- South On E. side Sec. 1 (Var. 5° 35' E.)
 2.00 Enter a wet prairie
 7.00 Leave " Do,
 15.59 a Bl. Oak 14 in dia,
 22.00 Enter wet prairie swampy
 32.00 Leave same
 40.00 Set q^r. sec. post from which
 a Bl. Gum 8 in dia, bears S 33 W 6 M. dist,
 & a Do. 16 " " " N 78 W 14 " "
 54.73 a W. Elm 16 " "
 80.00 Set post cor. sec. 1 & 12 from which
 a Pine 36 in dia, bears S 42 W 77 M. dist,
 & a W. Oak 16 " " " N 80 W 48 " "
 Level wet 3^d rate land, Timber Ash Elm
 Oak Pine Gum & M. & Hazel Sassafras
 Ok. Willow Hawthberry &c

- South On E. side Sec. 12,
 23.18 a Bl. Oak 10 in dia,
 37.60 Enter a swamp
 40.00 Set q^r. sec. post from which
 an Aspen 6 in dia, bears S 9 W 191 M. dist,
 & a Do. 8 " " " S 6 W 131 " "
 44.00 Leave the swamp
 56.88 a Hickory 16 in dia,

37 N. R. 5 W. 2nd. New Ind.

80.00 Set post cor. sec. 12 & 13 from which
a Hickory 22 in. dia. bears S 35° W 42 ft. dia.
to W. Oak 32 " " " N 9° W 34 " "
Level & 2nd & 3rd rate land. Oak Hickory
Elm Ash Maple Aspen h. W. G. Hazel Ash h.

South On E. side Sec. 13.

19.60 a Hickory 18 in. dia.

30.00 Enter a wet prairie

40.00 Set gr. sec. post. in prairie
when raise a mound

80.00 Set post cor. Sec. 13 & 14 in prairie
when raise a mound

Level wet sec. rate meadow land
timber on 1st 30 chs. Oak Hickory h.
Mid. Lth. Hazel, grapevines aspen h.

South On E. side Sec. 24

16.50 Leave wet prairie

17.15 an aspen 18 in. dia.

40.00 Set gr. sec. post from which
a W. Oak 24 in. dia. bears S 60° W 8 ft. dia.
to Lyrus 16 " " " N 16° W 39 "

56.91 a Maple 22 " "

64.00 Enter a swamp

65.50 Leave the Do.

80.00 Set post cor. sec. 24 & 25 from which
an aspen 14 in. dia. bears S 85° W 18 ft. dia.
to R. Oak 10 " " " N 38° W 12 " "

Level sec. rate & 3rd rate land Oak Hickory
Ash. Elm Lyrus Maple. aspen h.
Mid. gth. Sassafras Hazel Dogwood Willow,

South On E. side of sec. 25

5.00 Enter a great swamp on. N. W.

30.01 an aspen 20 in. dia.

by
T. 37 N. R. 5 W. 2nd Mer. Ind.

- 38.00 Leave swamp
40.00 Set post for gr. sec. cor. from which
a Maple 24 in. dia. bears S 32 W 32 M,
+ an Elm 4 " " " N 13 W 23.
61.58 To a Spruce 8 " "
65.50 To a branch 12 M. wide cor. W. dead,
80.00 Set a post cor. sec. 25 & 36 from which
a Maple 12 in. dia. bears N 19 W 20 M. 9 in.,
+ a W. Oak 24 " " " S 50 W 39 " "
Level wet 3rd rate land. Timber Elm Oak
aspen Beech Maple &c. W. G. Willow Alder
Hazel Water Birch Briars &c

South On E. side of sec. 36

- 2.00 To a stream 20 M. wide cor. W,
20.28 " " W. Oak 22 in. dia.,
27.93 Entered old state line 25.78 M. W. of
the 20th mile post where set post cor.
to Fran. Town. 37 N. Ranges 4 & 5 W. also
cor. to grad. sec. 31 & 36 - from which
a W. Oak 18 in. dia. bears N 25 E 39 M. dia.,
+ an Elm 5 " " " N 39 E W 27 " "
Level sec. 2nd rate land. Timber Oak ash
Beech, Hickory, Elm &c. Mud, 5th, Sugar
Hornwood Water Birch &c. June 29th 1829,

Surveyed by
Thomas Brown, Dep. Sur.

North Boundary.

- Var. 5th E,
- West On S. side sec. 36 T. 38 N. R. 5 W.
18.12 a Poplar 18 in. dia.,
26.00 Entered wet prairie cor. of a lake from its
North. area 60 or 70 acres,
40.00 Set gr. sec. post from which, no bearings
being in cranberry swamp. W. S. edge of lake

355

wy
T. 37 N. R. 5 W. 2nd. Mon. Ind.^a

69.92 To a Lamerac 4 in dia. Leaves pruned
80.00 Set post cov. red. 35 & 36 from which
a Lamerac 6 in dia. bears N 84 W 17 M. dish,
& a Birch 8 " " " N 7 E 12 " "
Level wet 3^d. rate land. Timber on the
1st 20 chs. Oak, Pine, Poplar &c. on the last
1500 M. Lamerac, Pine, Birch &c. M. G. Hazel &c.

West On S. side sec. 35 T. 38 N. R. 5 W.
20.50 Enter sandy barrens
40.00 Set gr. sec. post from which
a B. Gum 8 in dia. bears N 40 E 20 M. dish,
& a B. Gum 14 " " " S 70 E 20 " "
43.00 To a small lake offset North 3.50 M.,
59.00 offset paid, &c.
80.00 Set post cov. red. 34 & 35 from which
a W. Oak 16 in dia. bears N 11 W 24 M. dish,
& a Do. 14 " " " N 62 E 22 " "
Part level wet part broken land - sand-
hills all inferior 3^d. rate land Oak, Pine,
Lamerac &c. Mud, Gth. whortw. Hazel &c.

West On S. side sec. 34 T. 38 N. R. 5 W.
10.20 Intersect margin of Lake Michigan
cov. to Grav. Towns 37 & 38 N. R. 5 W. also
grav. sec. 3 & 34 - from which a
Pine 16 in dia. bears S 17 E 106 M. dish,
& Do. 16 " " " S 56 E 111 " "
Poor barrens, 3^d. rate land, timber Pine
Oak &c. Mud, growth Sassafras Hazel &c.
June 30th 1829. Surveyed by
Thomas Brown Dep. Sur.

West Boundary.

Var. 6th 17 E.

North On E. side sec. 36 T. 37 N. R. 6 W.

^{ing} T. 37 N. R. 5 W. 2nd, New, Ind.

24.27 Chicago & Detroit road en. S.E.,
 40.00 Set q^r. sec. post from which
 a W. Oak 13 in. dia, bears N12°W 25th M.,
 & a Do. 12 " " " S29°W 47 " dit,
 45.00 To creek bottoms prairie
 46.00 " a Brook 20 M. wide en. N.E.,
 52.60 " Same Do. " " " " N.W.,
 52.77 " an Elm 16 in. dia.,
 55.58 Intersect S. boundary of Ten mile strip
 at post at intersection of range line
 from North. Up land level clay Oak
 barrens, timber. W. & Y. Oak &
 Surveyed in 1834 by R. Clark, Jr. Dep. Sur.

South On E. side Sec. 36 T. 37 N. R. 6 W.,
 Begin at post cor. sec. 25 & 36 from which
 a Sugar 18 in. dia, bears S17°W 27th M., dit,
 & a Spruce 11 " " " N26°W 13 " "
 3.50 a stream 60 M. wide en. W.,
 7.40 a Bl. ash 18 in. dia.,
 16.00 To Oak barrens
 29.00 Enter a marsh
 30.57 To old Indian boundary 27.77 M.,
 West of 14th mile post. Set post. cor.,
 Sec. 31. R. 5 & Sec 36 R. 6 from which
 a W. Oak 14 in. dia, bears N75°E 24th M.,
 & a Y. Oak 14 " " " N17°W 18th " dit
 Land rolling 2nd rate. timber Beech
 Sugar Oak &

North On E. side sec. 25 T. 37 N. R. 6 W.,
 20.45 a Beech 18 in. dia.,
 40.00 Set q^r. sec. post from which
 a Beech 15 in. dia, bears S33°W 21th M., dit,
 & a Do. 11 " " " N55°W 46 " "
 70.95 To an Elm 14 " "

T. 37 N. R. 5 W. 2nd Mer. Ind. a

80.00 Set post cor. sec. 24 & 25 from which
a W. Oak 18 in. dia, bears S 60 W 106 lks. dist,
& a Do. 36 " " " N 76 W 88 " "
Land rolling separate Sugar Bush Oak,

North On E. side sec. 24 T. 37 N. R. 6 W,

20.45 To a Yellow Oak 10 in. dia,

40.00 Set gr. sec. post from which
a W. Oak 9 in. dia, bears S 10 E 30 lks. dist,
& a Do. 10 " " " N 43 W 46 " "

69.22 a W. Oak 14 " "

80.00 Set post cor. sec. 13 & 24 from which
an Elm 12 in. dia, bears S 79 W 58 lks. dist,
& a B. Oak 9 " " " N 45 W 33 " "
Land &c. same as on last mile,

North On E. side sec. 13. T. 37 N. R. 6 W,

27.00 To a Brook 10 lks. wide on. W,

28.30 a W. Oak 18 in. dia,

38.00 a Brook 16 lks. wide on. W,

40.00 Set gr. sec. post from which
a Poplar 12 in. dia, bears N 66 W 22 lks. dist,
& a Do. 9 " " " S 29 W 64 " "

47.14 a B. Oak 7 " "

80.00 Set post cor. sec. 12 & 13 from which
a W. Oak 12 in. dia, bears N 42 W 55 lks.
& a Do. 8 " " " S 35 W 54 "
Land &c. same as on last mile,

North On E. side sec. 12 T. 37 N. R. 6 W,

7.38 a Pine 12 in. dia,

11.62 To Lake Michigan set meander
post between frac. sec 12 R. 6 & sec. 7. R. 5 -
a Pine 10 in. dia, bears S 26 W 30 3 lks. dist,
& a Do. 7 " " " S 87 E 305 " "
Land 3rd rate sand hills,

359

Sec. 39 N. R. 5 W. 2nd. New. Ind.

65.97 & a Beech 7 in. dia. beam N 47° W 11 M. dist.
 65.97 a Beech 16 " "
 80.00 Set post cor. sec. 23. 24. 25 & 26 from wh.
 an Elm 18 in. dia. beam S 42° W 29 M. dist.
 & a Do. 5 " " " N 39° E 5 " "
 Land low & sec. rate Beech & yew Elm &

East On Random between sec. 24 & 25
 30.00 Enter swamp & wet prairie
 40.00 Set a temporary gr. sec. post
 70.00 Leave swamp
 79.82 To Co. boundary 30 M. S. of post
 First part Land & same as last.
 Last part 3^d rate land.

West Correct line between sec. 24 & 25
 39.91 Set gr. sec. post from which
 an aspen 7 in. dia. beam N 40° E 11 1/2 M.
 & a W. Oak 24 " " " S 88 1/2° W 10.60 "
 79.82 To the Sec. corner, April 4th 1830.

North Between sections 23 & 24
 15.77 a W. Oak 20 in. dia.
 22.00 Enter wet prairie
 40.00 Set gr. sec. post in Do. Raise a mound
 80.00 Set post cor. sec. 13. 14 23 & 24 in prairie
 where raise a mound
 Land on 1st 1/4 2nd rate last 3/4 wet prairie 3^d R.

East On Random Between sec. 13 & 24
 40.00 Set a temp. gr. sec. post
 79.76 To Co. boundary 37 M. S. of post
 Land 3^d rate wet prairie

West Correct line between sec. 13 & 24
 39.88 Set gr. sec. post & raise mound.

^{up} T. 37 N. R. 5 W. 2nd Mer. Ind.

79.76 To sec. corner,

North Between sections 13 & 14

12.00 Tamarac timber

19.00 To a tamarac 10 in. dia,

40.00 Set gr. sec. post from which
a Pine 7 in. dia, bears S 18° 35' 0" W. dist.,
& a Tamarac 7 " " " N 42° W 19 " "

46.00 Leave the swamp

63.91 To a Beech 14 in. dia,

80.00 Set a post cor. sec. 13, 14, 23 & 24 -
at a W. Oak 28 in. dia, cor. tree,
First part 3rd rate a swamp last part
2nd rate Beech, Sugar &

East On Random between sec. 12 & 13,

40.00 Set temporary gr. sec. post

78.80 To the E. line of sec. 14 3 ch. S. of post
Land level sec. rate, Timber Oak, Beech
Sugar &

West Correct line between sec. 12 & 13

39.40 Set gr. sec. post from which
an Ironwood 5 in. dia, bears N 50° W 8 ch.,
& a B. Oak 18 " " " S 18° E 18 "

78.80 To sec. corner,

note, The deficiency of 120 lbs. in this
mile, must be caused by an attraction
at corner 13, 14, 23 & 24 where I had a sight
of about 50 chs. (a lofty pine.)

North Between sections 11 & 12

11.00 To Pine timber,

16.10 " a Pine 24 in. dia,

40.00 Set gr. sec. post from which
a W. Oak 18 in. dia, bears East 17 ch. dist,

Sec. 37 N. R. 5 W. 2nd Mer. Ind^a,

C. S. & a W. Oak 18 in. dia. bears S 63° W 27 M,
 63.11 To an Elm 18 " " (Var. 6th - E.)
 68.00 " a Brook 7 M. wide cr. N. W.
 76.40 an Elm 6 in. dia. Enter wet prairie
 80.00 Set post cor. sec. 1, 2, 11 & 12 from which
 an Elm 6 in. dia. bears South 35° M. dist.
 & a Black Ash — " N 73° E 113 " "
 Land level & 3^d rate Timber Pine Oak &

East On Random between sec. 1 & 12
 10.00 Leave swamp
 39.00 a Brook 4 M. wide cr. S.
 40.00 Temporary gp. sec. post
 79.84 To E. line of sec. 21 M. S. of post
 Land & same as on last mile,

West Correct line between sec. 1 & 12
 39.92 Set gp. sec. post from which
 an Elm 20 in. dia. bears N 8° W 13 M,
 & a W. Oak 9 " " " S 71° E 9 M. dist.
 79.84 To sec. corner,

North Between sections 1 & 2,
 20.00 Leave marsh
 25.66 a Yellow Oak 9 in. dia.
 40.00 Set gp. sec. post from which
 a W. Oak 17 in. dia. bears S 75° W 60 M. dist.
 & a Do. 9 " " " N 89° E 88 " "
 46.00 Enter a marsh
 69.00 a Stream 20 M. wide cr. E.
 75.00 Enter a Tamarac swamp
 81.09 Intersect the N. boundary 34 M. W.
 of post where set post cor. sec. 1 & 2,
 a Tamarac 7 in. dia. bears S 29° E 25 M. dist.
 & a Pine 12 " " " S 38° W 34 " "
 Land swamp 3^d rate. April 5th 1830.

T. 37 N. R. 5 W, 2nd, Men. Ind.

West Between sections 26 & 35
 20.57 To a Bl. ash 18 in. dia.,
 40.00 Set of? sec. post from which
 a Sugar 16 in. dia., bears N 86 E 23 M. dist.,
 & Wash 10 " " " S 30 W 17 " "
 60.64 To a Beech 18 " " (Var. 5° 35' C.)
 80.00 Set post cor. sec. 26, 27, 34 & 35 from wh.,
 a Poplar 24 in. dia., bears N 25 W 34 M. dist.,
 & a Beech 7 " " " S 12 E 22 " "
 Land level & sec. rate Beech Sugar &c,

South Between sections 34 & 35
 20.82 To a Sycamore 14 in. dia.,
 28.27 Intersect Indian boundary line
 & set post cor. frac. sec. 34 & 35 from wh.,
 a Lyrus 14 in. dia., bears N 56 W 24 M. dist.,
 & a Do. 10 " " " N 19 E 37 " "
 Land &c. same as on last mile,

North Between sections 26 & 27
 18.00 To a stream 60 M. wide on R. W.,
 26.38 " " Blk. ash 12 in. dia.,
 40.00 Set of? sec. post from which
 a Lyrus 18 in. dia., bears S 79 W 34 M. dist.,
 & a Beech 16 " " " N 30 E 14 " "
 66.38 a Beech 16 " "
 80.00 Set post cor. sec. 22, 23, 26 & 27 from wh.,
 a Beech 18 in. dia., bears N 9 W 26 M. dist.,
 & Ironwood 6 " " " S 21 E 18 " "
 Land low & sec. rate Beech Maple &c,

East On Random between sec. 23 & 26
 40.00 Set a temporary of? sec. post
 80.25 Intersect E. line of sec. 19 M. N. of post
 Land level & sec. rate, Beech, Oak &c,

W. 37 N. R. 5 W. 2nd, Mer. Ind. a

West Correct line between sec. 23 & 26.
 40.17½ Set gr. sec. post from which
 a Beech 5 in. dia., bears S 13 W 9 in. dist,
 & a Sugar 9 " " " N 8 W 3 " "
 80.25 To sec. corner.

North Between sections 22 & 23
 22.40 To a Spruce 18 in. dia.,
 40.00 Set gr. sec. post from which
 a Hickory 18 in. dia., bears S 49 W 16 in. dist,
 & a Poplar 22 " " " N 75 E 7 " "
 62.40 To a Beech 10 " "
 79.50 Entered a wet prairie or marsh
 80.00 Set post cor. sec. 14, 15, 22 & 23,
 a W. Oak 8 in. dia., bears S 7 E 62 in. dist,
 & an Aspen 13 " " " N 61 W 50 " "
 Land rolling sec. rate, Timber Sugar,
 Spruce, Beech & —

East. On Random between sec. 14 & 23,
 13.00 Enter a Tamarac swamp
 23.00 Leave the same Do,
 39.00 Enter a wet prairie again
 40.00 Set gr. sec. post from Temporary,
 80.34 Put out to line of sec. 15 in. N. of post,
 Land swampy & 3 rate —

West Correct line between sec. 14 & 23,
 40.17 Set gr. sec. post from which
 a Maple 8 in. dia., bears S 10½ W 112 in.,
 & an Aspen 14 " " " N 68 W 213 "
 80.34 To the sec. corner,

North Between sections 14 & 15
 33.00 Enter Oak land
 34.93 a W. Oak 12 in. dia.,

T. 37 N. R. 5 W. 2nd, New Ind.

35.50	Enter a marsh again
38.00	Enter a Lamerac swamp
40.00	Set gr. sec. post from which a Lamerac 7 in. dia. bears S 73 E 5 1/2 m. dist, to a Do. 9 " " " S 64 W 12 " "
48.00	Leave swamp
66.13	To a Y. Oak 12 in. dia.
80.00	Set post cor. sec. 10. 11. 14 & 15 from wh. a Pine 22 in. dia. bears N 47 E 27 1/2 m. dist, to a Y. Oak 10 " " " S 51 W 18 " " Land swamp 3? rate & timber Oak &
East	On Random between sec. 11 & 14
18.00	To a Brook 4 m. wide cor. N.
40.00	Set temporary gr. sec. post
46.00	Enter a pine & alder swamp
57.00	Leave swamp
81.27	Intersect E. line of sec. 18 18 m. N. of post, Land & same as on last mile,
West	Correct line between sec. 11 & 14
40.63	Set gr. sec. post from which a Pine 14 in. dia. bears N 10 E 13 1/2 m. dist, to a Do. 20 " " " S 1 W 24 " "
81.27	To sec. corner, <u>note</u> . The additional - length of this line is attributable to the deficiency of the one E. of it, -
North	Between sections 10 & 11
13.00	Enter a pine swamp
16.30	a Pine 20 in. dia.
40.00	Set gr. sec. post from which a B. Oak 24 in. dia. bears N 28 E 109 m. to a Y. Oak 9 " " " N 59 W 190 "
48.00	Leave swamp
68.40	To a W. Oak 14 in. dia.

T. 37 N. R. 5 W. 2nd, New, Ind.

73.00 Enter a Pine swamp
 80.00 Set post cor. sec. 2, 3, 10 & 11 from which
 a Pine 22 in. dia., bears S 36 53 W. 81 in.
 & a Do. 15 " " " N 72 W 23 " "
 Land sandy barrens interspersed with
 swampy & thickened with Oak & Pine,

East On Random between sec. 2 & 11

3.00 Leave the swamp
 40.00 Set temporary gr. sec. post
 52.50 Enter a marsh
 80.18 Intersect E. line of sec. 12 1/2 mi. N. of post
 Land &c. same as on last mile,

West Correct line between sec. 2 & 11

40.09 Set gr. sec. post from which
 a Y. Oak 18 in. dia., bears N 72 1/2 W 52 W.,
 & a W. Oak 13 " " " S 34 1/2 E 41 "
 80.18 To sec. corner,

North Between sections 2 & 3,

4.00 Enter a marsh
 39.00 Leave the Do.
 40.00 Set gr. sec. post from which
 a Y. Oak 6 in. dia., bears S 65 E 13 W. 81 in.,
 & a Do. 8 " " " S 53 W 44 " "
 64.60 To a Pine 17 " " -
 81.69 Intersect N. boundary 15 mi. W. of post
 & Set post cor. sec. 2 & 3 from which
 a W. Oak 12 in. dia., bears S 62 W 54 W. 81 in.,
 & a Do. 11 " " " S 51 E 24 " "
 First part marsh. Last 1/2 sand hills
 Limber Oak & Pine. April 6th 1830.

West Between sections 27 & 34

22.00 To a W. Oak 19 in. dia.,

by T. 37 N. R. 3 W. 2nd Mer. Ind.

34.00 To a stream 60 lms. wide en. S E,
 40.00 Set g^r. sec. post from which
 a Bl. ash 30 in. dia. bears N 26 E 10 lms. dist,
 & a S. Oak 18 " " " S 35 E 29 " "
 59.96 To a Beech 14 " "
 80.00 Set post cor. sec. 27. 28. 33 & 34 from which
 an Elm 18 in. dia. bears S 28 E 20 lms. dist,
 & a Lym 10 " " " N 65 W 23 " "
 Land a low bottom 3^d rate, timbered
 Maple Elm &c, — (V. 57. 36 E.)

South Between sections 33 & 34

18.95 To a Beech 13 in. dia.
 19.50 " " Stream 60 lms. wide en. W,
 28.63 To Indian boundary line & set post
 cor. frac. sec. 33 & 34 from which,
 a Maple 28 in. dia. bears N 71 E 15 lms. dist,
 & a Do. 24 " " " N 11 W 26 " "
 Land low & third rate, timbered Beech Ash &c,

North Between sections 27 & 28,

13.00 Enter alder & willow swamp
 19.23 an aspen 13 in. dia.
 40.00 Set g^r. sec. post from which
 a Maple 12 in. dia. bears S 28 E 18 lms. dist,
 & a Do. 22 " " " N 44 W 54 " "
 53.00 Leave swamp
 63.80 To a Beech 20 in. dia.
 80.00 Set post cor. sec. 21. 22. 27 & 28 from wh.,
 a Beech 12 in. dia. bears N 73 E 15 lms. dist,
 & a Do. 16 " " " S 70 W 18 " "
 Land swampy & 3^d rate Maple Elm Beech &c,

East On Random between sec. 22 & 27

20.00 a stream 4 lms. wide en. South
 40.00 Set g^r. sec. post from which Tempy,

^{by} T. 37 N. R. 5 W. 2nd Mer. Ind.

79.50	Intersect E. line of Sec. at post Land rolling & sec. rate, Beech Sugarbark,
West	Correct line between Sec. 22 & 27
39.45	Set gr. sec. post from which a Beech 14 in. dia. bears East 11 th dist. to Sugar 9 " " " S 62° W 9 " "
79.50	To the Sec. corner,
North	Between sections 21 & 22
81.00	a Pine swamp
10.00	Leave Do.
23.90	a R. Oak 18 in. dia.
40.00	Set gr. sec. post from which a W. Oak 7 in. dia. bears S 72° W 18 th dist. to B. Oak 12 " " " N 55° E 22 " "
44.00	Entered an alder swamp
63.34	an Aspen 15 in. dia.
70.00	Leave the swamp
80.00	Set post cor. Sec. 15, 16, 21 & 22, a W. Oak 18 in. dia. bears N 39° E 13 th dist. to Beech 14 " " " S 59° W 68 " "
	Land Swampy 3 ^d rate. Beech Aspen Oak,
East	On Random between Sec. 15 & 22
21.00	Entered branching marsh
40.00	Set temporary, gr. sec. post
63.50	Leave marsh
79.50	Enter wet prairie
79.87	Intersect E. line of Sec. 5 th dist. N. of post, Land &c. same as on last mile
West	Correct line between Sec. 15 & 22
39.93	Set gr. sec. post where rain a mound
79.87	To Sec. corner,

T. 34 N. R. 5 W. 2nd Mer. Ind.

North Between sections 15 & 16
 24.63 a Swamp Oak 11 in. dia,
 40.00 Set gr. sec. post from which
 a B. Oak 20 in. dia, bears S 69° W 20 M. dist,
 & W. Oak 11 " " " S 28° E 39 " "
 59.30 a Poplar 24 " "
 63.00 Entered a marsh
 80.00 Set post cor. sec. 9, 10, 15 & 16
 a Y. Oak 18 in. dia, bears N 53° W 44 7 M.,
 & a W. Oak 11 " " " S 63° E 51 6 "
 Land rolling 3rd rate Oak & Pine &c,

East On Random between sec. 10 & 15
 40.00 Set temp. gr. sec. post.
 42.00 Leave marsh
 80.09 Intersect E. line of sec. 4 M. E. of post
 Land swampy & 3rd rate Pine & Oak,

West Correct line between sec. 10 & 15
 40.04 Set gr. sec. post from which
 a W. Oak 17 in. dia, bears S 9° E 21 4 M. dist,
 & a Do. 10 " " " N 75° E 23 0 " "
 80.09 To the sec. corner,

North Between sections 9 & 10
 12.00 Leave marsh
 14.60 a W. Oak 10 in. dia.
 25.00 Entered timbered swamp
 40.00 Set gr. sec. post from which
 a Maple 4 in. dia, bears N 7° E 29 M. dist,
 & a Poplar 7 " " " S 10° W 16 " "
 44.55 an aspen 10 " "
 45.00 Entered a marsh
 80.00 Set post cor. sec. 3, 4, 9 & 10 from which
 a Lamerac, 7 in. dia, bears N 20° E 151 M.,
 & a Do. 9 " " " N 50° W 100 "

Sec 37 N. R. 5 W. 2nd Mer. Ind^a

E. L. Land swampy 3rd rate Aspen Maple &c,

East On Randon between sec^s 37 & 10
 40.00 Set temporary g^r. sec^r post
 75.00 Enter a pine swamp
 80.06 Intersect E. line sec^r 6 1/2 m. N. of post
 Land 3rd rate marsh,

West Correct the line between sec^s 37 & 10
 40.03 Set g^r. sec^r post from which, no bearings
 Raise a mound,
 80.06 To the sec^r corner,

North Between sections 37 & 4
 1.00 Enter a Tamarac swamp
 14.00 Leave the " Do
 25.90 To a Yellow Oak 6 in. dia,
 35.00 Enter a pond
 39.00 Leave Do,
 40.00 Set g^r. sec^r post from which
 " a Oak 6 in. dia, bears S 37° W 18 1/2 m. dist,
 & a Do. 10 " " " N 54° E 27 " "
 45.00 To Lake Michigan set post cor. sec^r 37 & 4
 a Pine 6 in. dia, bears S 14° W 138 1/2 m. dist,
 & a Do. 7 " " " S 76 1/2° E 148 " "
 April 30th 1830, Land 3rd rate swamp & hills,

West Between sections 28 & 33,
 22.80 To an Elm 16 in. dia,
 40.00 Set g^r. sec^r post from which
 an Elm 11 in. dia, bears S 48° W 14 1/2 m. dist,
 & a Do. 13 " " " N 9° E 17 " "
 59.38 To a Spruce 18 " "
 80.00 Set a post cor. sec^s 28, 29, 32 & 33, from which
 a Birch 14 in. dia, bears S 74° E 21 1/2 m. dist &
 & a Do. 17 " " " N 63° W 6 " "

T. 37 N. R. 5 W. 2nd Mer. Ind^a,

C. S. Land low secⁱ. rate. Beech Elm &c,

South Between sections 32 & 33,
 13.50 To a Beech 16 in. dia,
 16.00 " " Stream 60 lbs. wide en. W,
 23.00 Leave bottom land
 29.84 To Indian boundary line Set post corner,
 of sec. 32 & 33 from which
 " Beech 11 in. dia. bears N 39 E 13 lbs. dist.
 & a Hickory 12 " " " N 26 W 15 " "
 Land low & secⁱ. rate Elm & Spruce Ash &c,

North Between sections 28 & 29
 8.00 To a stream 12 lbs. wide en. W,
 20.88 " " B. ash 11 in. dia,
 40.00 Set gr. sec. post from which
 a Sugar 16 in. dia. bears S 70 W 33 lbs. dist.
 & a Do. 16 " " " N 88 E 48 " "
 46.00 To a Brook 6 lbs. wide en. East
 67.38 " " W. Oak 22 in. dia,
 68.00 " " Brook 12 lbs. wide en. S. E,
 75.00 " the Do 12 " " " S. W,
 80.00 Set post cor. sec. 20, 21, 28 & 29 from which
 a S. Oak 20 in. dia. bears S 45 E 13 lbs. dist.
 & a Do. 14 " " " N 28 E W 26 " "
 Land low & 3^d rate a thin soil on clay
 Timber Beech Oak &c,

East On Random between sec. 21 & 28,
 4.00 To a Brook 12 lbs. wide en. S. W,
 40.00 Set temporary gr. sec. post,
 79.92 To E. line of sec. 30 lbs. N. of post
 Land level & secⁱ. rate Beech Sugar &c,

West Correct line between sec. 21 & 28,
 39.96 Set gr. sec. post from which

^{up} T. 37 N. R. 5 W. 2nd. Mon. Ind.

to Se. a Beech 10 in. dia. bears S 9 E 28 th. dist.
 & a Hickory 6 " " " N 12 E 18 " "
 79.92 To the sec. corner,

North Between sections 20 & 21

18.00 a Brook 12 th. wide cr. S. E.

26.00 " Maple 16 in. dia.

34.00 Enter an Alder swamp

40.00 Set gr. sec. post from which

a W. ash 10 in. dia. bears S 13 W 9 th. dist.

& B. ash 4 " " " N 43 E 11 " "

46.00 Leave the swamp

46.19 To a Bl. Oak 20 in. dia.

80.00 Set post cor. sec. 16, 17, 20 & 21 from which

a Beech 20 in. dia. bears S 21 E 27 th. dist.

& a W. Oak 22 " " " N 48 W 48 " "

Finish part same swamp, except last
 part rolling Oak &

East On Random between sec. 16 & 21

40.00 Set a temporary gr. sec. post,

79.85 Intersect E. line of sec. 60 th. N. of post
 Land rolling 2nd rate Timber Oak &

West Correct line between sec. 16 & 21

39.92 Set gr. sec. post from which

a W. Oak 24 in. dia. bears N 48 W 29 th.

& a Beech 12 " " " S 23 E 58 "

79.85 To sec. corner,

North Between sections 16 & 17

27.65 a W. Oak 14 in. dia.

33.00 Enter a marsh & swamp

40.00 Set gr. sec. post in marsh from wh.

a W. Oak 18 in. dia. bears S 3 W 22 th.

& a Y. Oak 6 " " " N 1 1/4 E 82 1 "

^{up}
T 37 N. R. 5 W. 2nd. Mer, Ind.^a

47.50 Leave marsh
57.45 a Yellow Oak 17 in. dia.,
65.00 Enter timber swamp
80.00 Set post cor. sec. 8, 9, 16 & 19 from which
an aspen 7 in. dia., bears N 80 E 12 1/2 M. dist.
& a B. Oak 6 " " " S 64 E 7 W 30 " "
Land &c. same swamp excepted,

East On Random between sec. 9 & 16
15.00 Leave swamp
40.00 Set temporary gr. sec. post
52.00 Enter a marsh
79.97 Intersect E. line of sec. 43 M. N. of post
Land &c. same as on last

West Correct line between sec. 9 & 16
39.98 Set gr. sec. post from which
a Y. Oak 12 in. dia., bears S 76 40 M. dist.,
& a W. Oak 12 " " " N 20 E 31 " "
To sec. corner,

North Between sections 8 & 9
12.00 Enter a marsh
40.00 40.00 Set gr. sec. post & Prairie mound
a Pine 22 in. dia. bears N 2 E 7 W 86 7/8 M. dist.,
& a Do. 20 " " " N 56 890 " "
50.00 Leave marsh
58.40 To a Pine 18 in. dia.
80.00 Set post cor. sec. 4, 5, 8 & 9 from which
a Pine 5 in. dia., bears S 65 W 82 M. dist.,
& a Do. 10 " " " N 56 63 " "
Land swampy & 3/4 rate Oak Pine &c.,

East On Random between sec. 4 & 9
40.00 Set temp. gr. sec. post
45.00 To Cranberry Marsh —

^{up} T. 37 N. R. 5 W. 2nd Mer. Ind^a

48.00 Enter a Turnera swamp
79.84 To N. & S. line of sec. 47 1/2 mi. N. of post
Land &c. same as our last mile

West Correct line between sec. 4 & 9
39.92 Set gr. sec. post from which
a Y. Oak 16 in. dia. bears N 38° 47' W 1/2 mi. N. & S.
4a Do. 8 " " " S 40° W 37 " "
79.84 To the sec. corner,

North Between sections 4 & 5
3.64 To Lake Michigan set post from wh.
a Pine 6 in. dia. bears N 15° W 104 1/2 mi. N. & S.
4a Cedar 6 " " " S 34° E 74 " "
Land a sand hill. April 8th 1830,

West Between sections 29 & 32
5.00 To a Brook 13 1/2 mi. wide en. S.
21.14 " " Sugar 12 in. dia.
40.00 Set gr. sec. post from which
a Beech 15 in. dia. bears N 28° E 23 1/2 mi.
4a Do. 14 " " " S 45° W 12 "
53.50 To a Brook 6 1/2 mi. wide en. S
65.00 " " Sugar 14 in. dia.
80.00 Set post cor. sec. 29, 30, 31 & 32 from wh.
a Hickory 11 in. dia. bears S 12° W 3 1/2 mi. N. & S.
4a Sugar 20 " " " N 40° W 6 " "
First post level 2nd post nothing 2nd rate
Sugar, Beech &c. V. 5° 40' E.

South Between sections 31 & 32
7.00 To low bottom
12.47 " a Lyrus 18 in. dia.
15.20 " a Stream 60 1/2 mi. wide en. W.
16.00 Leave bottom land
29.84 To Indian boundary set post cor. sec. 31 & 32

T. 37 N. R. 5 W. 2nd Mer. Ind.^a

C. L. a Beech 24 in. dia, bears N 53 E 6 lks. dist,
 & a Do. 15 " " " N 53 E 7 W 46 " "
 Land rolling 2nd rate, Beech Sugar &c.

North Between sections 29 & 30

6.00 To a Brook 6 lks. wide on W.
 20.07 " " Beech 15 in. dia,
 40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia, bears S 37 E 15 lks. dist,
 & a Do. 20 " " " N 57 W 52 " "
 60.74 To a Beech 18 " "
 80.00 Set post cor. sec. 19. 20. 29 & 30 from which
 a W. Oak 34 in. dia, bears S 28 E 22 lks. dist
 & a Lyrus 16 " " " N 65 W 20 " "
 Land level & 2nd rate, Ash Sugar Beech &c.

East On Random between sec. 20 & 29

40.00 Set Lumpy, gr. sec. post
 79.78 To the E. line of sec. 30 lks. N. of post
 Land &c. same as on last mile,

West Correct line between sec. 20 & 29

39.89 Set gr. sec. post from which
 a Beech 8 in. dia, bears N 51 E. 3 lks. dist,
 & a Do. 11 " " " S 70 W 17 " "
 79.78 To sec. corner,

North Between sections 19 & 20

15.56 a Swamp Oak 24 in. dia,
 40.00 Set gr. sec. post from which
 a Swamp Oak 11 in. dia, bears S 27 E 22 lks.,
 & a Do. Do. 9 " " " N 34 W 70 "
 41.00 Entered a marsh
 52.00 Leave the Do.
 54.32 To a Y. Oak 17 in. dia,
 70.00 Entered a swamp & marsh,

T. 37 N. R. 5 W. 2nd Mer. Ind^a.

80.00 Set post cor. sec. 17, 18, 19 & 20 from which
 a W. Oak 10 in. dia., bears S 69° W 103 M. Dist.
 " Do. 16 " " " N 60° E 96 " "
 Land ridges & marshy, Timbered Oak & ,

East On Random between sec. 17 & 20
 15.50 Leave mark
 40.00 Set Temporary gr. sec. post
 45.50 To a spring 3 M. wide ex. N,
 79.88 To E. line of sec. 78 M. N. of post
 Land & same as on last mile,

West Correct line between sec. 17 & 20
 39.94 Set gr. sec. post from which
 a W. Oak 36 in. dia., bears S 46° E 39 M. Dist.
 & a Spruce 12 " " " N 116° 32 " "
 79.88 To the sec. corner,

North Between sections 17 & 18
 5.75 Leave mark
 5.00 Enter marsh
 15.00 Leave the Do.,
 27.27 To an Aspen, 18 in. dia.,
 28.50 Enter timbered ~~land~~ Swamp
 40.00 Set gr. sec. post from which
 an Aspen 10 in. dia. bears S 85° W 25 M. Dist.
 & a Maple 12 " " " N 30° E 26 " "
 55.90 To an Aspen 9 " "
 57.00 Enter a marsh
 80.00 Set a post cor. sec. 7, 8, 17 & 18 in marsh
 where raise a mound
 Land swampy & 3rd rate Aspen Maple,

East On Random between sec. 8 & 17
 24.00 Enter timbered swamp
 40.00 Set Temp. gr. sec. post
 79.97 To E. line of sec. 9 3 M. N. of post

T. 37 N. R. 5 W. 2nd Mer. Ind^a

Co. L. Land &c. same as on last mile,

West Correct line between sec. 8 & 17

39.98 Set g^r. sec. post from which
an Aspen 9 in. dia. bears N 4 E 14 M. dist,
& a Maple 6 " " " N 43 W 23 " "

79.97 To the sec. corner,

North Between sections 7 & 8

22.00 Leave the marsh

28.94 To a Yellow Oak 18 in. dia.,

40.00 Set g^r. sec. post from which
a Pine 24 in. dia. bears N 63 W 22 M. dist,
& a W. Oak 14 " " " S 82 E 52 " "

46.50 To Lake Michigan & set post cor. of
Trac. sec. 7 & 8, from which
a Pine 7 in. dia. bears S 44 E 158 M. dist,
& a Do. 11 " " " S 18 W 230 " "
Land &c. same as on last mile,

West Between sections 5 & 8,

7.20 To Lake Michigan & set post from which
a Poplar 12 in. dia. bears S 49 E 348 M. dist,
& a Pine 10 " " " S 27 W 329 " "
Land, sand hill, April 9th, 1830,

West Between sections 30 & 31

7.00 To a Brook 4 M. wide cr. South

19.92 " " Sugar 14 in. dia.,

40.00 Set g^r. sec. post from which
a Beech 16 in. dia. bears N 44 E 23 M. dist,
& Sugar 10 " " " S 77 W 39 " "

47.00 Low bottom

68.00 a stream 60 M. wide cr. N. W.

73.00 a W. Oak 16 in. dia.,

74.81 a stream 60 M. wide cr. S. W.

377

T. 37 N. R. 5 W. 2nd. Mer. Ind.

80.00 To W. boundary set post cor. sec. 30 & 31
 a Beech 14 in. dia., bears S 16 E 22 1/2 M. dist,
 & a Sugar 14 " " " N 40 W 55 " "
 Land low 2nd rate. Timber Beech Maple
 Sugar & —

West Between sections 19 & 30
 20.00 a Bl. ash 20 in. dia.,
 40.00 Set gr. sec. post from which
 an Elm 14 in. dia., bears N 47 E 14 1/2 M. dist,
 & a White 13 " " " S 62 W 48 " "
 54.80 To a Beech 15 " "
 60.00 " " Brook 8 M. wide en. N. E.,
 80.11 " W. boundary 36 M. N. of post
 where set post cor. sec. 19 & 30 from wh.,
 a W. Oak 10 in. dia., bears S 77 E 82 M. dist,
 & a Hickory 9 " " " N 24 E 24 " "
 Land &c. same as on last mile,

West Between sections 18 & 19
 18.40 To a Red Oak 8 in. dia.,
 40.00 Set gr. sec. post from which
 a Y. Oak 6 in. dia., bears S 63 W 27 1/2 M. dist,
 & a W. Oak 11 " " " N 27 E 4 " "
 62.00 a Brook 10 M. wide en. N. W.,
 64.73 a W. Oak 18 in. dia.,
 80.29 To W. Boundary 38 M. N. of post
 where set post cor. sec. 18 & 19 from wh.,
 a Maple 24 in. dia., is corner tree
 Land &c. same as on last mile,

West Between sections 7 & 18
 10.50 Leave marsh
 17.80 a W. Oak 14 in. dia.,
 40.00 Set gr. sec. post from which
 a Y. Oak 18 in. dia., bears North 1.04 M. dist,

by 37 N. R. 5 W. 2nd Mer. Ind.?

C. L. & a W. Oak 12 in. dia, bears S15 W 54 lks,
 56.65 To a Yellow Oak 9 " "
 80.23 Intersect W. boundary 67 lks. N. of post
 where set post cor. sec. 7 & 8 from which
 a Y. Oak 7 in. dia, bears S46 E 50 lks. N. W.
 & a Do. 13 " " " N38 E 33 " "
 Land sand hills & 3^d rate. Oak timber,

Meanders of Lake Michigan, Begin
 at W. boundary thence —

Course C. L. in sec. 7

N66 E 55.00

N66 1/4 E 32.63 To line between sec. 7 & 8,

N65 1/2 E 45.00 To line between sec. 5 & 8,

N63 E 8.11 To line between sec. 4 & 5

N63 E 50.00

N62 1/2 E 39.05 To line between sec. 3 & 4

N62 E 37.00

N62 3/4 E 42.23 To N. boundary. April 21st

I do hereby certify that I commenced
 the survey of Town 37 N. Range 5 W. of
 2nd meridian in state of Indiana on
 Sunday, April 4th 1830 & completed the
 same on Saturday April 10th 1830 & that
 the foregoing are correct field notes of
 the same. being original.

Calvin Britain Jr.
 Deputy Surveyor

Subdivision, (Var. 67 E.)
 of Trac. South of Boundary line,

^{ur} S. 37 N. R. 5 W. 2nd. Nov. Ind.^a

North Between sections 35 & 36 (Random)
 post at entrance of windfall crs. N.E.
 40.00 Leave wind fall
 56.92 Intersect S. boundary of ten mile strip
 35th E. of post. Land level & mostly wet
 Beech Poplar Sugar Ash Maple & Bl. Gum
 Timber mostly blown down —

S 38 E South correct line between sec. 35 & 36
 an Ironwood 5 in. dia. bears South 9th N. dist.
 & a Sugar 18 " " " S 53 W 32 " "
 5.99 To a Sugar 24 " "
 16.92 " " N. Elm 20 " " for gr. sec. cor.
 20.82 " " Beech 12 " "
 56.92 To sec. corner,

North On Random between sections 34 & 35
 56.98 Intersect boundary 15th E. of post
 Land dry rolling & 2nd rate timber,
 Beech, Sugar, Poplar, Walnut ash Oak
 Elm Hickory, N. G. Spruce & Parrotaw R.

S 8 E. South correct line between sec. 34 & 35
 a Sugar 4 in. dia. bears S 50 W 18th N. dist.
 & a Beech 10 " " " S 35 W 32 " "
 10.80 To an Elm 22 " "
 16.98 Set gr. sec. post from which
 a Beech 7 in. dia. bears N 7 E 30th N. dist.
 & a Do. 6 " " " S 20 E 27 " "
 18.84 To a Sugar 18 " "
 29.25 " " Do. 12 " "
 32.88 " " Beech 20 " "
 56.98 " the sec. corner,

North Between sections 33 & 34 Random
 2.25 a stream 12th wide crs. NW. shallow bank,

T. 34 N. R. 5 W. 2nd. Mon. Ind.^a

- 40.00 To Calamuck Creek 36 Ms. wide es. 7th deep
Brisk current & pure water,
56.92 Intended S. boundary of ten mile strip
at post. Land mostly flat wet & 3^d. rate
Lumber, Beech, Sugar, Spruce, Poplar,
ash & scattering Red Walnut. Horn, spruce,

- South Correct line between sec. 33 & 34
a Beech 10 in. dia. bears S 80° W 44 Ms. dist.
to do. 8 " " " S 29° E 50 " "
11.36 To a do. 18 " "
16.92 Set of sec. post in creek 5 Ms. from Left
bank. an ash 4 in. dia. bears South 22 Ms. dist.
28.49 a Sugar 12 in. dia.
56.92 To sec. corner,

- North Random between sections 32 & 33,
56.67 Intended Boundary line 17 Ms. W. of post.
Land met quality 3^d. rate. Beech Sugar
Oak Gum & Maple. M. G. Beech Ironwood,



- South Correct line betw. sec. 32 & 33. (S 10° W.)
a Beech 18 in. dia. bears S 19° E 34 Ms. dist.
to Hickory 20 " " " S 77° E 14 " "
13.17 To a Beech 12 " " -
16.67 Set of sec. post from which
a Sugar 8 in. dia. bears S 55° E 7 Ms. dist.
to Beech 4 " " " N 71° W 14 " "
33.19 To an Elm 30 " "
28.58 " a Beech 17 " "
56.67 To sec. corner,

- North On Random between sec. 31 & 32
36.40 To a Brook 8 Ms. wide es. NW,
56.14 Intended Boundary line 4 Ms. E. of post
Land level, mostly dry & 3^d. rate & the

by 37 N. R. 5 W. 2nd Mer. Ind^a

C. L. Beech. W. Oak. Elm & Hickory & but little h, g,

South Correct line between sec^s 31 & 32 (SSE.)
 a Spruce 8 mi. dia. bears S12E 15th Mo. dist. &
 Ironwood 4 " " " S76 $\frac{1}{2}$ E 43 " "
 16.14 Set of sec. post from which
 16.44 a W. Oak 10 mi. dia. bears N1W17 Mo. dist.,
 La Do. 11 " " " S55E 16 " "
 27.48 To a W. Oak 16 mi. dia.,
 56.14 To sec. corner, July 24th 1834

I hereby certify that in pursuance of a
 contract with Micajah T. Williams Sur. Gen^l
 of the U. States for the states of Ohio, Ind^a,
 & the Territory of Michigan, dated 21st April
 1834 & in strict conformity to the laws of the
 United States & the instructions of said,
 Sur. Gen^l, I have surveyed & subdivided
 into sections Trac. Township 37 North
 Range 5 West 2nd Mer. Indiana & I do
 further certify that the foregoing are
 the true & original field notes of the
 said survey & subdivision. Executed as
 aforesaid, Certified this 25th day of July
 1834 - William Clark, Dep. Sur.
 Nehemiah Chasman  Chairman,
 John Hood 
 John Preston. Marker,

^WT. 37 N. R. 5 W. 2nd Mer. Ind.^a

I certify that the foregoing transcript
of field notes of Township 37 North,
Range 5 West 2nd Mer. state of Ind.^a,
has been compared with the original
in this office & found to be correct.

William Johnston
Svr. Genl.

Surveyor General's office,
Cincinnati, Oct. 11th 1842. 